I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: MS RCE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: My 21-2007 Signatural Wall Might

Docket No.: 0106586.00185US1

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Andrzej J. CHANDUSZKO Confirmation No.:

8600

Application No.:

10/662,000

Art Unit:

3731

Filed:

MAY 2 4 2007

September 12, 2003

Examiner:

N. R. Pous

Title:

PFO CLOSURE DEVICE WITH FLEXIBLE THROMBOGENIC

JOINT AND IMPROVED DISLODGEMENT RESISTANCE

MS AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

REQUEST FOR CONTINUED EXAMINATION PURSUANT TO 37 C.F.R. § 1.114 AND AMENDMENT

Dear Sir:

INTRODUCTORY COMMENTS

Applicants hereby request continued examination of this application according to 37 C.F.R. § 1.114 by filing a submission (this Amendment) and the required fee set forth in § 1.17 (e). In response to the Final Office Action dated February 20, 2007, finally rejecting claims 1-38, please amend the above-identified U.S. patent application as follows and consider the following remarks:

Amendments to the Claims are reflected in the listing of claims which begins on page 2

of this paper.

05/24/2007 MGEBREN1 00000079 080219

10662000

02 FC:2201

100.00 DA

Remarks/Arguments begin on page 7 of this paper.